




Meaningful Innovation.

INSTRUCTION MANUAL

400mm MINI RAIL - 2PCS SCREW
2PCS RUBBER PADS



SKU	23070
-----	-------

INTRODUCTION

Thank you for selecting and buying V-TAC Product. V-TAC will serve you the best. Please read these instructions carefully & keep this user manual handy for future reference. If you have any another query, please contact our dealer or local vendor from whom you have purchased the product. They are trained and ready to serve you at the best.

MINI-RAIL FOR PORTRAIT

Rail-less for metal sheet roof

SKU	Colour
23070	Mini Rail



Flush roof



Framed module



Orientation portrait




Orientation landscape



Corrugated metal



Trapezoidal sheet



PRODUCT FEATURES


- Widely used for both crystalline modules.
- Easy & quick installation.
- Only 3 kinds of components in whole system fixation.
- All system components are made with high quality aluminum & stainless steel.
- Fit for the seam distance of metal sheet roof $\leq 250\text{mm}$.



Project site	Popular trapezoidal and IBR sheets, corrugated sheet metal
Slope of roof	Up to 60°
Max Building Height	Up to 20m
Wind Load	60m/s
Snow Load	2.0kn/m ²
Applicable Module	Frame / frameless module, crystalline/ thin film module
Module Orientation	Portrait
Standard	MCS, AS/NZS1170.2:2011
Material	Stainless steel 304, Al6005-T5

MINI-RAIL FOR PORTRAIT

Rail-less for metal sheet roof



**MINI
RAIL**




**END
CLAMP KIT**




**MID
CLAMP KIT**


KEY COMPONENTS



1
Mini rail on the seam of the roof with 2pcs st6.3*25 tapping screw.



2
Fix the module on the rail by end clamps.



3
Fix the module on the rail by mid clamps.